

PLAY  
Frames



## Spire

L: 2900 W: 3223 H: 2600mm

FFH: 530mm

Min Surface Area: 34m<sup>2</sup>

Min Space: 6.23m x 5.9m


Consists of:

Log Rope

Rope Walk

Balance Beam

Stepping Logs



## Elevate

L: 4125 W: 2900 H: 2600mm

FFH: 550mm

Min Surface Area: 39.3m<sup>2</sup>

Min Space: 7.12m x 5.9m


Consists of:

Log Rope

Wobble Bridge

Rope Walk

Balance Beam



## Crest

L: 2950 W: 2875 H: 2522mm

FFH: 1360mm

Min Surface Area: 32.9m<sup>2</sup>

Min Space: 5.95m x 5.9m

Consists of:



Traverse Net

Zig Zag Steel Bars

Log Climber

Chin Up Bar

Rope Chain Traverse



## Peak

L: 3631 W: 3162 H: 2650mm

FFH: 1290mm

Safety Surface Area: 38.5m<sup>2</sup>

Min Space: 6.16 x 6.63m

Consists of:


Log Rope

Timber Log Climber

Rope Walk

Traverse Net

Drop Rope Traverse



## Apex

L: 3675 W: 3206 H: 2600mm

FFH: 599mm

Safety Surface Area: 39.16m<sup>2</sup>

Min Space: 6.67 x 6.20m

Consists of:

Jigsaw Traverse Panels

Balance Beam

Rope Walk

Log Rope

Tarzan Traverse

## Altitude

L: 5862 W: 2216 H: 2485mm

FFH: 1747mm

Safety Surface Area: 42.73m<sup>2</sup>

Min Space: 8.96 x 5.31m

Consists of:

Tarzan Ring Beam

Jigsaw Traverse Panels

Traverse Net

Rope Walk

Chin Up Bar



Timber Play Frames



## Vertex

L: 5125 W: 3566 H: 2690mm

FFH: 1370mm

Safety Surface Area: 49.87m<sup>2</sup>

Min Space: 8.13 x 6.56m

Consists of:

Jigsaw Traverse Panels

Traverse Net

Timber Log Climber

Balance Beam x2

Tarzan Traverse

Cross Rope

Log Roll with Drop Ropes

Rope Walk

## Zenith

L: 6312 W: 3281 H: 2600mm

FFH: 1345mm

Total Safety Surface Area: 55.8m<sup>2</sup>

Min Space: 9.31 x 6.28m

Safety Surface Area Split

FFH < 600mm = 10.75m<sup>2</sup>

FFH 600 > 1500 = 45m

Consists of:

Traverse Net

Tarzan Traverse

Log Rope


Cross Rope

Log Roll with Drop Ropes

Rope Walk

Balance Beam

Timber Log Climber



Timber Play Frames

## Summit

L: 6356 W: 6025 H: 2600mm

FFH: 1777mm

Safety Surface Area: 81.77m<sup>2</sup>

Min Space: 8.94 x 9.39m

Safety Surface Area Splits (mm)

FFH 1500 > 1777mm = 20.82m<sup>2</sup>

FFH 1500 > 2190mm = 60.95m<sup>2</sup>

## Pinnacle

L: 9475 W: 5925 H: 2600mm

FFH: 2190mm

Safety Surface Area: 107.58m<sup>2</sup>

Min Space: 12.4 x 8.92m



Consists of:

Jigsaw Traverse Panels

Rope Weave

Traverse Net

Log Rope

Rope Walk

Balance Beam

Tarzan Traverse

Spider Web Net

Drop Rope Traverse

Cross Rope

Balance Beam

Log Roll


## Tri Play Challenge 1

Product Size - L: 1842 W: 1599 H: 2445mm  
Safety Surface Area: 17.94m<sup>2</sup>  
Minimum Space Required: 5.3 x 4.6m



Option 1

FFH: 595mm  
Consists Of:  
Beam Traverse  
Steel Slalom  
Rope Traverse



Option 2

FFH: 1163mm  
Consists Of:  
Rope Traverse  
Weave Traverse  
Net Traverse



Option 3

FFH: 594mm  
Consists Of:  
Beam Traverse  
Weave Traverse  
Drop Rope Traverse



Option 4

FFH: 690mm  
Consists Of:  
Drop Rope Traverse  
Steel Slalom  
Jigsaw Traverse Wall

## Tri Play Challenge 2

Product Size - L: 3279 W: 1842 H: 2520mm  
Safety Surface Area: 23.8m<sup>2</sup>  
Minimum Space Required: 6.28 x 4.84m



Option 1

FFH: 1203mm  
Consists Of:  
Beam Traverse  
Net Traverse  
Weave Traverse  
Drop Rope Traverse



Option 2

FFH: 759mm  
Consists Of:  
Drop Rope Traverse  
Steel Slalom  
Jigsaw Traverse Wall  
Log Roll With Drop Ropes




Option 4

FFH: 718mm  
Consists Of:  
Beam Traverse  
Rope Traverse  
Steel Slalom  
Drop Rope Traverse



Option 3

FFH: 1163mm  
Consists Of:  
Jigsaw Traverse Wall  
Weave Traverse  
Net Traverse  
Rope Traverse




## Tri Play Challenge 3

Product Size - L: 4139 W: 2275 H: 2445mm

Safety Surface Area: 30.2m<sup>2</sup>

Minimum Space Required: 7.14 x 5.28m




### Option 1

FFH: 1163mm

Consists Of:

Beam Traverse  
Jigsaw Traverse Wall  
Rope Traverse (x2),  
Net Traverse  
Weave Traverse  
Steel Slalom.



### Option 2

FFH: 760mm

Consists Of:

Beam Traverse  
Weave Traverse  
Log Roll With Drop Ropes  
Jigsaw Traverse Wall  
Steel Slalom  
Rope Traverse  
Drop Rope Traverse



### Option 3

FFH: 1203mm

Consists Of:

Beam Traverse  
Jigsaw Traverse Wall  
Rope Traverse  
Net Traverse  
Weave Traverse  
Steel Slalom  
Drop Rope Traverse

## Tri Play Challenge 4

Product Size - L: 5573 W: 2446 H: 2470mm

Safety Surface Area: 36.7m<sup>2</sup>

Minimum Space Required: 8.57 x 5.45m



### Option 1

FFH: 1178mm

Consists Of:

Net Traverse  
Beam Traverse  
Weave Traverse  
Log Roll With Drop Ropes  
Jigsaw Traverse Wall  
Steel Slalom  
Drop Rope Traverse  
Rope Traverse



### Option 2

FFH: 1163mm

Consists Of:

Drop Rope Traverse  
Beam Traverse  
Net Traverse  
Weave Traverse  
Rope Traverse (x2)  
Jigsaw Traverse Wall  
Steel Slalom



### Option 3

FFH: 1203mm

Consists Of:

Log Roll With Drop Ropes  
Rope Traverse  
Jigsaw Traverse Wall  
Net Traverse  
Drop Rope Traverse  
Weave Traverse  
Beam Traverse  
Steel Slalom

## Steel Elevate

L: 3968 W: 2922 H: 2500mm

FFH: 575mm

Safety Surface Area: 38.56m<sup>2</sup>

Min Space: 6.96 x 5.92m


Consists of:

Wobble Bridge

Balance Beam

Rope Walk

Log Rope



## Rowton

L: 4700 W: 1660 H: 2110mm

FFH: 2110mm

Safety Surface Area: 43.8m<sup>2</sup>

Min Space: 5.58 x 8.62m

Consists of:



Climb Net

Rope Walk

Climb Ladder

Chin Up Bars

Monkey Bar Frame



## Steel Play Frames

## Steel Play Frames



## Farndon

L: 3220 W: 3100 H: 2329mm

FFH: 2050mm

Safety Surface Area: 47.49m<sup>2</sup>

Min Space: 7.14 x 7.02m

Consists of:

Climb Wall

Climb Net

Climb Ladder

Vertical Climb Rings


Roll Over Bars/Chin Up Bars

Staggered Ladder

Tarzan Rings Beam

Cross Rope

Rope Walk



## Octagonal Farndon

L: 3864 W: 3864 H: 2350mm

FFH: 2031mm

Safety Surface Area: 50.16m<sup>2</sup>

Min Space: 7.8 x 7.8m

Consists of:

Tarzan Ring Beam


Climb Wall

Ring Climber

Climb Net

Vertical Climb Rings

Chin Up Bars





The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key.

The Playframes range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind all the Playframes range are designed to meet the requirements of BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.